


# Blazorize: UI em apps Blazor

Renato Haddad    rehaddad@msn.com

Microsoft Most Valuable Professional

Escritor, professor de pós graduação, desenvolvedor

.NET, Power BI e velejador de Kitefoil



C#

.NET

  
Python

Go

F#

WA

Ruby

Java

Rust



# Blazorize: UI em apps Blazor

- Renato Haddad [rehaddad@msn.com](mailto:rehaddad@msn.com)  
Microsoft Most Valuable Professional  
Escritor, professor de pós graduação,  
desenvolvedor .NET, Power BI e  
velejador de Kitefoil



# O que é Blazorise?



THE  
DEVELOPER'S  
CONFERENCE

- **Biblioteca de components para Blazor apps**
- **Suporta Bootstrap, Bulma, Material CSS**



# Instalação

## ➤ NUGET

- Install-Package Blazorise.Bootstrap
- Install-Package Blazorise.Bulma
- Install-Package Blazorise.Material

## ➤ Icon package

- Install-Package Blazorise.Icons.FontAwesome

# Referências no HTML



THE  
DEVELOPER'S  
CONFERENCE

```
<link rel="stylesheet"  
href="https://stackpath.bootstrapcdn.com/bootstrap/4.2.1/css/bootstrap.min.css"  
integrity="sha384..." crossorigin="anonymous">
```

```
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.4.1/css/all.css"  
integrity="sha384-5sAR7xN1Nv..." crossorigin="anonymous">
```

```
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"  
integrity="sha384-q8i/X...+8abtTE1Pi6jizo" crossorigin="anonymous"></script>
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.6/umd/popper.min.js"  
integrity="sha384..." crossorigin="anonymous"></script>
```

```
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.2.1/js/bootstrap.min.js"  
integrity="sha384-B0UglyR.../mkkaduKaBhlAXv9k" crossorigin="anonymous"></script>
```

# Using no \_ViewImports.cshtml



THE  
DEVELOPER'S  
CONFERENCE

```
@addTagHelper *, Blazorise  
@using Blazorise
```

# Startup.cs

```
using Blazorise;
```

```
using Blazorise.Bootstrap;
```

```
using Blazorise.Icons.FontAwesome;
```

```
public void ConfigureServices( IServiceCollection services ) {
```

```
    services .AddBlazorise() // from v0.6.0-preview4
```

```
        .AddBootstrapProviders()
```

```
        .AddFontAwesomeIcons();
```

```
}
```

```
public void Configure( IComponentsApplicationBuilder app ) {
```

```
    app .UseBootstrapProviders()
```

```
        .UseFontAwesomeIcons();
```

```
    app.AddComponent<App>( "app" ); }
```



THE  
DEVELOPER'S  
CONFERENCE



# Exemplo



THE  
DEVELOPER'S  
CONFERENCE

```
<link href="blazorise.css" rel="stylesheet" />
```

```
<link href="blazorise.bootstrap.css" rel="stylesheet" />
```

```
<link href="blazorise.sidebar.css" rel="stylesheet" />
```

```
<link href="blazorise.snackbar.css" rel="stylesheet" />
```

```
<script src="blazorise.js"></script>
```

```
<script src="blazorise.bootstrap.js"></script>
```

```
<script src="blazorise.charts.js"></script>
```

```
<script src="blazorise.sidebar.js"></script>
```



THE  
DEVELOPER'S  
CONFERENCE

# Blazorize

<https://blazor.net/community>



# Additional resources

- Docs: <https://blazor.net>
- Code: <https://github.com/aspnet/blazor>
  - Mono: <https://github.com/mono/mono>
- Community: <https://blazor.net/community>
  - Samples, libraries, courses, tooling, etc.



THE  
DEVELOPER'S  
CONFERENCE

# OBRIGADO

